


CFE

PRE-COATING





1.1 Pre-coating



Do not clean with compressed air immediately after pre-coating has been applied so as not to dislodge the protective coating.

The pre-coat can be ordered together with spare filter.

To attain maximum service life for the filter cartridges, these must usually be pretreated. Pretreatment or "pre-coating" consists of introducing particles into the filter cartridge as follows:

- **1.** Disconnect the dust collector and divide the particles equally between the total modules (1 kg/cartridge).
- 2. Start the fan at full speed and extract all the dust. Dispense the powder in an even flow so that the suction rate is approximately 20 sec/1 kg, see illustration.
- **3.** The filter is now ready for operation.



EXTRACTION ARMS \cdot VEHICLE EXHAUST EXTRACTION \cdot FANS \cdot FILTERS \cdot CURTAINS \cdot CONTROLS

